

Last Modified:

**Rosinante Inc 2415 Stearnlee Ave, Long Beach CA 90815**

[george.holod@infi90.com](mailto:george.holod@infi90.com)

**17-Apr-25 source:** [www.infi90.com](http://www.infi90.com)

<b>Model</b>	<b>Qty</b>	<b>Description</b>	<b>Price</b>	<b>Notes</b>
53001-6TX		1 Foxboro Folding Charts		5
AG100XH		2 CP60 EMC Enhancement kit		120 rev A
CM400YH		3 FBM07 Contact/dc Input		324 rev A
CM400YJ		2 FBM08 120 Vac Input		128 rev 0A
CM400YL		4 FBM10 120 Vac I/O		264 rev 0A, 0B, 0D
CM400YN		2 Contact Input DC Expander / FBM 12		265 rev 0A, 0C
CM400YT		2 FBM17 0-10 Vdc, Contact/dc I/O		192 rev 0C
CM400WM		1 Industrial Pwr Module 3A AC Backup Power I/A Series Power Module 2; Input (selectable): 100/120/220/240 VAC 50/60Hz, Output 39V DC 1.7 Amps Continous ASTEC Model AA16560 Industrial Power Mod		69
CM902WL		5 2, 120-240Vac, 100 mS		59 rev B
CM902WX		1 Industrial Power Module IPM06A AC/DC Memory Backup		72
DM900HU		1 FBM 26 125VDC Output		248 rev 0G
DM400YJ		5 FBM08 120 Vac Input		220
DM400YL		19 FBM10 120 Vac I/O		296 rev 0c
DM400YR		1 120VAC Expansion Input/Output FBM 15		242 rev 0B
P0400DA		0 FBM01 0-20mA Input		298 rev 0L
P0400QA		1 Interface Section Module Keyboard		120 rev C
P0400QJ		1 80 MB Disk		246 rev G
P0400QK		1 Streaming Tape Drive		398 rev 0E
P0400VE		9 Fieldbus Isolator		125
P0400VP		7 Communications Process 10		324
P0400VR		4 Control Processor 10 (CP 10)		764 2 New in box \$902
P0400VT		3 Applications Processor 20		450 rev K, P
P0400VU		3 Workstation Process 20		324 rev G
P0400YC		6 FBM02 Thermocouple/mV Input		368 rev 0V, 0U(1)
P0400YD		2 FBM03 RTD Input		308 rev AB, 0N
P0400YE		1 FBM04 0-20 mA Input/Output		252 rev J, R
P0400YG		6 FBM06 Pulse Input, 0-20mA output		252 rev OK, H2, 0P
P0400YR		1 FBM15 120 Vac I/O Expander		152 rev 0J

Model	Qty	Description	Price	Notes
P0400YV	1	FBM18, Intelligent Transmitter I/O, P/N - P0400YV	295	rev 0E
P0400ZG	2	Nodebus Interface	496	rev 0H
P0800DC	2	Fieldbus Isolator/Term Block Cable	44	
P0900HS	3	FBM22 Auto/Manual Station	262	rev 0F
P0900HU	1	FBM26 Contact DC I/O	112	rev D
P0900NT	1	Carrierband LAN Interface	606	rev K
P0902DZ	2	Communications Processor 15	412	rev C 11 rev 0E, 1 rev 0J, 2
P0902UT	16	FBM 39 Intelligent Transmitter Input / 0-20mA Output, P/N - P0902UT	295	rev 0H
P0902XA	1	FBM41 Contact DC Input/High Current DC Output	255	rev 0F
P0902XB	5	FBM24 High Power Contact/ VDC Input Output Expander	212	rev 0C
P0903CW	4	Annunciator/numeric keyboard	298	rev 0B,0C
P0903ZE	2	Fieldbus Isolator	145	
P0903ZL	2	Industrial Pwr Mod 2, 120-240 Vac, 100 ms (EC96)	69	1 rev A, 1 rev B
P0904BQ	4	WP20/30 Series GC10 w/o TS (MIS Top) (EC91)	332	2 rev C, 1 rev E
P0904HB	2	Power Supply	86	rev A
P0911AC	3	Communications Processor 15 (Synchronous)	524	rev B, D
P0911QN-A	2	Cable	15	
P0911RN-C	1	Cable	15	
P0911RP-C	1	Cable	15	
P0912AS	1	Application Processor ZAP20	632	0B
P0912CM-C	1	Nodebus A & B Terminators	9	
P0912CQ	1	WS-PE/WS-PE Nodebus Cable Kit	44	
P0912FG	2	120 Mb Hard Disk With AP20 SW (P-Adapter)	502	
P0912MJ	4	FBM33 Copper RTD Input Module	998	
P0914TD	11	FBM207 Channel Isolated 16 DIN Voltage Monitor	162	rev 0B (2), 0D (3) 0J
P0914SQ	8	FBM201 Channel Isolated 8 Input 0-20 mA	222	0E, 0G
P0914TG	1	FBM241 Channel Isolated Voltage Monitor 8 input, 8 external power output	165	
P0914TK	1	FBM243 Channel Isolated 8 Coms FoxCon	228	
P0914WH	6	FBM207b Ch Isolated 16 DIN 24 Vdc Contact Sense	162	rev 0J
P0914XB	4	FBM2xx Vertical Baseplate	144	rev 0C
P0914XS	4	FBM237 Channel Isolated 8 Output 0-20 mA	226	rev 0C
P0914YM	6	FCM10E Fieldbus Communication Module	199	rev 0C
P0914ZX	2	FBM2xx Vertical Letterbug Assembly	28	rev 0C
P0916AA	4	Compression Term Assembly, FBM201	19	rev 0C
P0916AL	1	Compression Term Assy, FBM207, 15-60 Vdc Vmon	25	rev 0E
P0916AM	3	Compression Term Assy, FBM207, 120/125V Vmon	34	rev 0D

<b>Model</b>	<b>Qty</b>	<b>Description</b>	<b>Price</b>	<b>Notes</b>
P0916CC	1	Compression Term Assembly, FBM237		26 rev 0C
P0916JY	6	Comp Term Assy, FBM242, 2A 60V Fused Out		43 rev 0E
P0916NG	1	Compression Term Assembly, FBM242, 5A Relay Out		59 rev 0D
P0916TA	10	FBM242 Channel Isolated External Source DO		156 rev 0G, 0B, 0D
P0922Vt	1	FBM214 8 Communication, HART input		225 rev 0E
P0922VU	6	FBM215, HART Output, 8 Channels		242 rev 0B, 0D
P0922YU	1	Power Supply, FPS 400-24		98 rev F
P0926AH-B	6	Fiber Splitter/Combiner 1919459-1 Rev A		69
P0926EQ	22	FBM202 Channel Isolated 8 Input Thermocouple/mV		286 rev 0G
P0926HT	1	8 Slots Hor. Baseplate, Time Strobe, 8FBM		99 rev 0A
P0950BM	1	FBM43 Dual Baud Intelligent Transmitter Interface		424 rev 0G
P0950BN	5	FBM44 Dual Baud IT Input/0-20 mA Output Interface		298 rev 0G
P0960AW	12	CP30 Control Processor 30		550 0F, 0M, 0N
P0960GC	5	Workstation Processor 30		500 rev 0G; One NEW \$750
P0960KA	1	Carrierband LAN Interface/ZLAN		456 0C
P0961AA	2	Fiber Optic Netbus Extender		282
P0961BC	4	CP40B Control Processor 40B		650 rev 0G, 0K, 0L, 0P
P0961FR	0	CP60 Control Processor 60		850
P0970BC	8	DNB1 Dual Node Interface Module		196 0D
P0970EJ	2	Dual Node Bus Expander		268 rev 0F
P0971WV	1	DNBT - Communication Module		288
P0972ZQ	6	0.25 m LC-LC Fiber Optic Jumper Cable, Orange		15
P0973BU	6	0.25 m LC-LC Fiber Optic Jumper Cable, Gray		15
P0973CA	3	FEM100 Module		89 rev 0B
PM400YD	1	FBM 3 RTD Input		298 rev L2
PM400YJ	1	FBM08 120 Vac Input		135 rev G2
RTT20-D1SN0FD-L3	1	Temperature Transmitter 0-100 deg C Model RTT20-D1SN0FLD-L3		200